



**THE**  
**PENNTEK™**  
**ADVANTAGE**

# “The Other Guys”

## WHAT TO LOOK OUT FOR...



### EPOXY

- 2-4 day installation process
- 5-7 day cure time
- Not UV stable
- Loses flexibility resulting in chipping and peeling

- Diluted with fillers for lower overhead cost
- High VOCs cause products to evaporate, leaving the customer with less product
- Many have lower solids content leading to inconsistent chip coverage and poor long-term adhesion



### COMMON POLYUREA



### DIRECT TO CONCRETE POLYASPARTIC

- Cures from the outside in leading to a weak bond with the substrate
- Cannot withstand alkalinity in concrete, which impacts adhesion
- Many use an epoxy “primer” in order to be installed

- Thin and brittle product with minimal chip coverage
- Difficult to prepare concrete without renting professional equipment
- Most are water-based epoxies which have low adhesion



### DIY KIT

# Why Penntek?

---



## 99.5% Pure Polyurea

Penntek manufactures pure polyureas free from fillers and VOCs. Penntek uses the highest quality products, leaving the customer with floors that are long-lasting, UV stable, flexible, and durable in ever-changing environments.

---



## Manufacturer's Warranty

All Penntek certified dealers are backed by the manufacturer's 15-year residential warranty. Penntek stands behind its dealers and ensures the highest quality of product performance. Homeowners not only receive a warranty from the Penntek dealer but the manufacturer as well.

---



## Certified Dealers

Penntek certified dealers must undergo a rigorous vetting process in order to install Penntek products. Installers are then sent to a multi-day installation class at Penntek HQ to be trained by Penntek Technical Instructors. Customers can be confident that Penntek dealers are trained and backed by their manufacturer.

---



## One-Day Installation

Penntek products are designed to be installed in one day. The customer is able to return to service typically within 24 hours, allowing them to enjoy their space sooner.

# FAQs for Concrete Coatings

## *Q: Who is your product manufacturer?*

A: It is important for customers to know what products a given company is installing. Consistent products ensure consistent results. Penntek is proud to manufacture in The United States.

## *Q: Is your product backed by your manufacturer?*

A: All Penntek dealers offer a 15-year residential warranty backed by the manufacturer.

## *Q: What is the solids content of your product?*

A: Penntek manufactures a pure polyurea that is over 99.5% solids. This means their product does not contain fillers or additives to cut costs or quality.

## *Q: How do you prep the concrete prior to installation?*

A: Penntek certified dealers use only the highest quality floor prep equipment and triple-filtered HEPA vacuums. Penntek's award-winning concrete mender is used to repair cracks and pits. Prep is key in achieving a long-lasting floor.

## *Q: How are your floor technicians trained?*

A: All Penntek certified dealers are required to complete a multi-day training program at Penntek HQ.

## *Q: Where else can we install your product?*

A: From garages to pool decks, residential to commercial, Penntek products are formulated to succeed in any environment.

**Learn more at [PenntekCoatings.com](https://PenntekCoatings.com)**